Remington Arms Company, Inc.
870 Remington Drive
PO Box 700
Madison, NC 27025-0700
(336) 548-8700
800-243-9700

REMINGTON

Arms Company, Inc.

SPORTSMAN 58
AUTOLOADING SHOTGUN

- Shooting Safety Commandments
- Information
- Instructions for Operation & Care of Shotgun
- Components Parts Listing
- Value and Reference Book Listing

NOTE: We are pleased to accommodate your request for the Sportsman 58 Autoloading Shotgun information. The following documentation represents all information available on this model from the Remington Arms Co., Inc.
DO NOT MAKE CHANGES OR ALTERATIONS TO ANY PARTS OF A FIREARM. USE ONLY REMINGTON PARTS. NEVER MAKE AN ADJUSTMENT TO THE TRIGGER, OR CHANGE THE SHAPE OR SIZE OF THE SEAR, SEAR NOTCH, OR OTHER PARTS.

Ten Commandments of Shooting Safety

1. **Always keep the muzzle pointed in a safe direction.**

2. **Firearms should be unloaded when not in use.**

3. **Don't rely on your gun's "safety".**

4. **Be sure of your target and what is beyond it.**

5. **Use correct ammunition.**

6. **If your gun fails to fire when the trigger is pulled, handle with care!**

7. **Always wear eye and ear protection when shooting.**

8. **Be sure the barrel is clear of obstructions before shooting.**

9. **Do not alter or modify your gun, and have guns serviced regularly.**

10. **Learn the mechanical and handling characteristics of the firearm you are using.**



MODEL SPT-58

Autoloading Shotgun

Remington

"Sportsman-58" with "Power-Matic" Action

"DISCONTINUED NO PARTS AVAILABLE FROM REMINGTON"

3 Shot
12-16-20 Gauge

IDENTIFY COMPONENTS BY LOCATION AND PART NAME FROM SECTIONAL VIEW

This Model is Discontinued



SECTIONAL VIEW

ACTION CLOSED

REPLACEMENT PARTS

When ordering parts, specify model, gauge, part name and number, and the serial number of the gun. All parts, including barrel assemblies, will be shipped as ordered but, since they are made to close dimensions, the particular part may require slight adjustment or fitting to assure proper functioning of the arm.

REMINGTON ARMS COMPANY, INC. • Ilion, N. Y. 13357, U.S.A.

"SPORTSMAN-58" is Reg. U. S. Pat. Off. by Remington Arms Company, Inc., Bridgeport 2, Conn.

Remington

MODEL SPT-58

Autoloading Shotgun

3 SHOT

12-16-20 Gauge

"DISCONTINUED NO PARTS AVAILABLE FROM REMINGTON"

When ordering parts — Model No., Part No. and Part Name must be given.

Part No.	NAME OF PART	List Price
25865	Action Bar Assembly (includes Action Bar, Action Bar Stud, Slide Block)	$
19355	Action Bar Stud	
19365	Action Spring	
16405	Action Spring Stop	
25755	Action Spring Stop Assembly, MAGNUM GRADE (includes Action Spring Stop, Action Spring Stop Stud, Magazine Buffer Spring)	
	NOTE: Barrel Assemblies interchangeable without adjustment. Prices upon application.	
21690	Barrel Assembly, PLAIN, 12 Ga. (30 in.) (includes Barrel, Barrel Guide Ring, Barrel Guide Pin, Front Sight, Magazine Cap Detent, Magazine Cap Detent Spring)	Price on Application
21693	Barrel Assembly, PLAIN, 12 Ga. (28 in.)	
21694	Barrel Assembly, PLAIN, 12 Ga. (26 in.)	
21691	Barrel Assembly, PLAIN, 16 Ga. (28 in.)	
21695	Barrel Assembly, PLAIN, 16 Ga. (26 in.)	
21692	Barrel Assembly, PLAIN, 20 Ga. (28 in.)	
21696	Barrel Assembly, PLAIN, 20 Ga. (26 in.)	
22973	Barrel Assembly, MAGNUM GRADE, 12 Ga. only, 28 in., VENT RIB (3 in. chamber) (See page SG-4)	
23235	Barrel Assembly, VENT RIB, 12 Ga. (30 in.) (includes Barrel, Barrel Guide Pin, Barrel Guide Ring, Front Sight, Front Sight Retaining Pin, Magazine Cap Detent, Magazine Cap Detent Spring, Ventilated Rib)	
23236	Barrel Assembly, VENT RIB, 12 Ga. (28 in.)	
23237	Barrel Assembly, VENT RIB, 12 Ga. (26 in.)	
23240	Barrel Assembly, VENT RIB, 16 Ga. (28 in.)	
23241	Barrel Assembly, VENT RIB, 16 Ga. (26 in.)	
23245	Barrel Assembly, VENT RIB, 20 Ga. (28 in.)	
23246	Barrel Assembly, VENT RIB, 20 Ga. (26 in.)	
23800	Barrel Assembly, SKEET GRADE, 12 Ga. (Vent Rib only) (26 in. only) (includes Barrel, Barrel Guide Pin, Barrel Guide Ring, Front Sight (Ivory Bead), Magazine Cap Detent, Spring, Middle Sight, Ventilated Rib)	
23802	Barrel Assembly, SKEET GRADE, 20 Ga. (Vent Rib only) (26 in. only)	Price on Application
23238	Barrel Assembly, SKEET GRADE, COMP. 20 Ga. (Vent Rib only) (26 in. only) (includes Barrel, Barrel Guide Pin, Barrel Guide Ring, Ventilated Rib, Compensator (steel), Compensator Bushing, Compensator Bushing Screw, Compensator Front Sight, Middle Sight, Full Choke Tube, Spreader Tube, Wrench)	
23247	Barrel Assembly, SKEET GRADE, COMP. 20 Ga. (Vent Rib only) (26 in. only)	
23800	Barrel Assembly, SC GRADE, 12 Ga. (Vent Rib only) (includes same as Skeet Grade)	
23802	Barrel Assembly, SC GRADE, 20 Ga. (Vent Rib only)	
24060	Barrel Assembly, TB GRADE, 12 Ga. only, (Vent Rib only) (30 in. length) (includes Barrel, Barrel Guide Pin, Barrel Guide Ring, Front Sight (Ivory Bead), Magazine Cap Detent, Magazine Cap Detent Spring, Middle Sight, Ventilated Rib)	
24061	Barrel Assembly, TB GRADE, 12 Ga. only (Vent Rib only) (28 in. length)	

Part No.	NAME OF PART	List Price
23890	Barrel Assembly, D GRADE, All Gauges (Vent Rib only) (includes same as Barrel Assembly, Vent Rib, except uses Ivory Bead Front Sight) (All Standard lengths available)	Price on Application
23891	Barrel Assembly, F GRADE, All Gauges (Vent Rib only) (includes same as D GRADE)	
23892	Barrel Assembly, SD GRADE, All Gauges, (Vent Rib only) (includes same as SC GRADE)	
23893	Barrel Assembly, SF GRADE, All Gauges, (Vent Rib only) (includes same as SC GRADE)	
16358	Bolt Return Plunger	
17676	Bolt Return Plunger Cross Pin	
16360	Bolt Return Slide Plunger Spring	
18869	Breech Bolt, 12 Ga. Use 16967	
23025	Breech Bolt, 16 Ga.	
16400	Breech Bolt, 20 Ga.	
23575	Breech Bolt Assembly, Complete, 12 Ga. (includes Breech Bolt, Extractor, Extractor Plunger, Extractor Spring, Firing Pin, Firing Pin Retaining Pin, Firing Pin Retractor Spring, Locking Block Assembly). Use 25190	
23576	Breech Bolt Assembly, Complete, 16 Ga.	
23577	Breech Bolt Assembly, Complete, 20 Ga.	
16889	Buffer	
20616	Butt Plate	
25410	Butt Plate Screw	
15714	Carrier, 12 - 16 - 20 Ga. Use 15628	
23545	Carrier Assembly, 12 - 16 - 20 Ga. (includes Carrier, Carrier Dog, Carrier Dog Pin, Carrier Dog Washer, Carrier Release, Carrier Release Pin, Carrier Release Spring). Use 26875	
15480	Carrier Dog	
17416	Carrier Dog Follower	
16966	Carrier Dog Follower Spring	
18781	Carrier Dog Pin	
18760	Carrier Dog Washer	
16348	Carrier Latch	
16345	Carrier Latch Pin	
16344	Carrier Latch Spring	
17417	Carrier Pivot Tube	
16347	Carrier Release	
16983	Carrier Release Pin	
16327	Carrier Release Spring	
17419	Connector, Left	
17551	Connector, Right	
17420	Connector Pin	
16712	Disconnector	
25430	Ejector, 12 Ga. Use 25431	
24449	Ejector, 16 Ga. Use 24446	
24450	Ejector, 20 Ga. Use 24447	
18647	Ejector Rivet	
16176	Extractor	
17432	Extractor Plunger	
17433	Extractor Spring	
17436	Firing Pin	
18623	Firing Pin Retaining Pin	
17437	Firing Pin Retractor Spring	
16332	Follower Latch (12 Ga. only)	
16303	Follower Latch Pin (12 Ga. only)	
16333	Follower Latch Spring (12 Ga. only)	

COMPONENT PARTS — **PRICE LIST**

Remington

"DISCONTINUED NO PARTS AVAILABLE FROM REMINGTON"

MODEL SPT-58

Autoloading Shotgun

3 SHOT

12-16-20 Gauge

When ordering parts — Model No., Part No. and Part Name must be given.

APPENDIX TO BE ADDED TO PRESENT COMPONENT PARTS PRICE LIST:

Part No.	NAME OF PART	List Price
24060	Barrel Assembly, ADX GRADE, 12 Ga. (30in.) VENT RIB only (includes Barrel, Barrel Guide Pin, Barrel Guide Ring, Front Sight (Ivory), Magazine Cap Detent, Magazine Cap Detent Spring, Middle Sight, Ventilated Rib)	Price on Application
24061	Barrel Assembly, ADX GRADE, 12 Ga. (28 in.) VENT RIB only	
24062	Barrel Assembly, ADX GRADE, 12 Ga. (26 in.) VENT RIB only	
25475	Barrel Assembly, ADX GRADE, 16 Ga. (28 in.) VENT RIB only	
25476	Barrel Assembly, ADX GRADE, 16 Ga. (26 in.) VENT RIB only	
25477	Barrel Assembly, ADX GRADE, 20 Ga. (28 in.) VENT RIB only	
25478	Barrel Assembly, ADX GRADE, 20 Ga. (26 in.) VENT RIB only	
23800	Barrel Assembly, SX GRADE, 12 Ga. (26 in. only) VENT RIB only (includes same as SKEET GRADE)	
23802	Barrel Assembly, SX GRADE, 20 Ga. (26 in. only) VENT RIB only	
24060	Barrel Assembly, TX GRADE, 12 Ga. (30 in.) VENT RIB only (includes same as TRAP GRADE)	Price on Application
24061	Barrel Assembly, TX GRADE, 12 Ga. (28 in.) VENT RIB only	
25215	Barrel Assembly, MAGNUM GRADE, 12 Ga. only (30 in. only) PLAIN (includes same as PLAIN Barrel) (3 in. chamber)	
22971	Barrel Assembly, MAGNUM GRADE, 12 Ga. only (30 in.) VENT RIB (includes same as MAGNUM GRADE plus Ventilated Rib, Front Sight (Ivory), Middle Sight) (3 in. chamber)	
25216	Barrel Assembly, MAGNUM GRADE, 12 Ga. only, 28 in., PLAIN (3 in. chamber)	
25288	Barrel Assembly, RSS GRADE, 12 Ga. (26 in.) PLAIN (includes Barrel, Barrel Guide Pin, Barrel Guide Ring, Front Sight, Front Sight Ramp, Rear Sight Assembly, Rear Sight Base Rear Sight Base Pin, Rear Sight Screw, Rear Sight Step, Magazine Cap Detent, Magazine Cap Detent Spring)	

Part No.	NAME OF PART	List Price
25411	Butt Plate Screw, ADX-SX-TX GRADE	$
16992	Ejector, MAGNUM GRADE	
23805	Front Sight, RSS GRADE	
25385	Grip Cap Screw, TB-TC GRADE	
16923	Magazine Buffer Spring (used on MAGNUM GRADE only)	
22897	Magazine Cap Assembly, MAGNUM GRADE	
16917	Magazine Follower, MAGNUM GRADE	
16915	Magazine Spring, MAGNUM GRADE	
24525	Rear Sight Assembly, RSS GRADE (includes Rear Sight Collar, Rear Sight Eyepiece, Rear Sight Leaf, Rear Sight Windage Screw)	
16456	Rear Sight Screw, RSS GRADE	
25585	Rear Sight Step, RSS GRADE	
22133	Receiver Assembly, MAGNUM GRADE	
24375	Receiver Assembly, TB-TX GRADE (includes same as ADL GRADE except Receiver Rivet supplied)	
16980	Receiver Rivet (used on TB-TX GRADES only)	
21386	Recoil Pad, TX GRADE (Black)	
16909	Shell Latch, Left, MAGNUM GRADE	
22991	Stock Assembly, MAGNUM GRADE (includes Screw (2)	

PARTS AND PRICES SUBJECT TO CHANGE WITHOUT NOTICE

DELIVERIES ARE F.O.B. ILION, N. Y.

Send all guns for factory service and inquiries on service and parts to
REMINGTON ARMS COMPANY, INC.
Arms Service Division
Ilion, New York 13357

All other inquiries are to be addressed to
REMINGTON ARMS COMPANY, INC.
Bridgeport, Connecticut 06602

Remington

Remington

"DISCONTINUED NO PARTS AVAILABLE FROM REMINGTON"

Autoloading Shotgun

3 SHOT

12-16-20 Gauge

MODEL

SPT-58

When ordering parts — Model No., Part No. and Part Name must be given.

Part No.	NAME OF PART	List Price
	NOTE: Follower Latch, Follower Latch Pin, Follower Latch Spring not used for 16-20 gauge model.	
23045	Fore-end, ADL GRADE, 12 Ga.	$
23047	Fore-end, ADL GRADE, 16-20 Ga.	
23690	Fore-end, SC GRADE, 12 Ga.	
23692	Fore-end, SC GRADE, 20 Ga.	
24256	Fore-end Ring	
19363	Fore-end Ring Washer	
18673	Front Sight	
18796	Front Sight, (Vent Rib), Steel Bead	
18918	Front Sight, (Vent Rib), Ivory Bead	
18752	Front Sight Retaining Pin (Vent Rib)	
16159	Grip Cap	
18771	Grip Cap, TB GRADE	
25385	Grip Cap Screw, TB GRADE	
18749	Hammer	
16600	Hammer Pin	
17465	Hammer Plunger	
19014	Hammer Spring	
24075	Locking Block Assembly (oversize)	
22325	Locking Block Assembly, (includes Locking Block, Locking Block Stud)	
19628	Locking Block Stud	
22895	Magazine Cap Assembly, 12 Ga. (includes Magazine Cap, Magazine Cap Plunger, Magazine Cap Plunger Spring, Magazine Cap Selector, Magazine Cap Stud)	
23680	Magazine Cap Assembly, 16 Ga.	
23681	Magazine Cap Assembly, 20 Ga.	
17451	Magazine Cap Detent	
16791	Magazine Cap Detent Spring	
22075	Magazine Follower	
16750	Magazine Spring	
16404	Magazine Spring Pin	
18052	Middle Sight (white metal)	
25390	Operating Handle	
23895	Operating Handle, D and F GRADE	
15097	Operating Handle Plunger	
15098	Operating Handle Plunger Retainer	
16791	Operating Handle Spring	
22080	Piston Assembly, (includes Piston, Piston Liner, Piston Ring)	
16029	Piston Ring	
22130	Receiver Assembly, 12 Ga. (includes Receiver, Ejector, Ejector Rivet (2), Follower Latch Block, Follower Latch Block Pin, Magazine Tube Assembly)	
22131	Receiver Assembly, 16 Ga. (includes Receiver, Ejector, Ejector Rivet (2), Magazine Tube Assembly)	
22132	Receiver Assembly, 20 Ga. (includes same as 16 Ga.)	
18551	Receiver Stud	$
21385	Recoil Pad (includes (2) screws) (Red)	
16262	Recoil Pad Screw	
25115	Safety	
23223	Safety Detent Ball	
17514	Safety Spring	
17515	Safety Spring Retaining Pin	
18750	Sear	
17463	Sear Pin	
17518	Sear Spring	
23085	Shell Latch, Left, 12 Ga. Use 16909	
20041	Shell Latch, Left, 16 Ga.	
20042	Shell Latch, Left, 20 Ga.	
23080	Shell Latch, Right, 12 Ga.	
20046	Shell Latch, Right, 16 Ga.	
20047	Shell Latch, Right, 20 Ga.	
23560	Stock Assembly, ADL-SKEET GRADE, (includes Stock, Butt Plate, Butt Plate Screw (2), Grip Cap). Use 22991	
23785	Stock Assembly, BDL GRADE, includes same as ADL-SKEET GRADES). Use 21930	
22145	Stock Assembly, TB GRADE, (includes Stock, Grip Cap, Grip Cap Screw, Recoil Pad, Recoil Pad Screw (2). Use 27441	
21810	Stock Assembly, SC GRADE, (includes same as ADL-SKEET GRADES). Use 21812	
19993	Stock Bearing Plate	
18571	Stock Bolt	
18572	Stock Bolt Lock Washer	
18573	Stock Bolt Washer	
25370	Trigger	
20610	Trigger Assembly, (includes Trigger, Connector, Left; Connector, Right; Connector Pin)	
17533	Trigger Pin	
23665	Trigger Plate, R.H. Use 26235	
23666	Trigger Plate, L.H. Use 26236	
27300	Trigger Plate Assembly, R.H., 12-16-20 Ga. (includes Carrier Assembly, Carrier Dog Follower, Carrier Dog Follower Spring, Carrier Latch, Carrier Latch Pin, Carrier Latch Spring, Carrier Pivot Tube, Disconnector, Hammer, Hammer Pin, Hammer Plunger, Hammer Spring, Safety, Safety Plunger, Safety Spring, Safety Spring Retaining Pin, Sear, Sear Spring, Sear Pin, Trigger Assembly, Trigger Pin, Trigger Plate, R.H.; Trigger Plate Pin Bushing, Trigger Plate Pin Detent Spring, Front; Trigger Plate Pin Detent Spring, Rear)	
27305	Trigger Plate Assembly, L.H. 12-16-20 Ga.	
17541	Trigger Plate Pin Bushing	
17539	Trigger Plate Pin Detent Spring, Front	
17540	Trigger Plate Pin Detent Spring, Rear	
20601	Trigger Plate Pin, Front	
20606	Trigger Plate Pin, Rear	

SUPERSEDED PARTS

19659	Action Spring Stop	
16918	Action Spring Stop, MAGNUM GRADE	
16203	Magazine Spring Pin	

INSTRUCTION FOLDER

Remington

MODEL SPORTSMAN -58

POWER-MATIC

AUTOLOADING SHOTGUN

12-16-20 GAUGE

Includes
12 Gauge
3 in. MAGNUM

Important

Read instructions before assembling this gun.

also

Clean grease from bore of barrel before firing.

REMINGTON ARMS COMPANY, INC.

Ilion, N.Y., U.S.A.



NORMAL CLEANING AND CARE

can be done with these simple take-apart instructions

DISASSEMBLY

TO REMOVE BARREL AND FORE-END

CAUTION: Push safety "ON SAFE" (Red band will not show). Unscrew magazine cap. Slide barrel and fore-end together from gun.

TO REMOVE TRIGGER PLATE ASSEMBLY

Push out front and rear trigger plate pins. Lift trigger plate assembly from receiver. Inspect and clean, whenever necessary. Clean as a unit. *NOTE: Do not allow cocked hammer to snap forward with trigger plate assembly removed from receiver.*

TO REMOVE BREECH BOLT ASSEMBLY AND SLIDE

Remove piston mechanism. See opposite instructions. Pull out operating handle. Depress left shell latch in receiver. Pull action bar assembly wi'ı breech bolt assembly attached from front of receiver. Replace in reverse order.

FOR CLEANING

An evaporating cleaning solvent should be used. necessary precautions. Action mechanisms remain clean much longer after shooting ɔ ubrication is used.

RE-ASSEMBLY

TO REPLACE TRIGGER PLATE ASSEMBLY

Cock hammer and push safety to "ON SAFE" position. Slide trigger plate assembly in receiver taking care that projecting parts of assembly clear receiver rails properly. Al trigger plate pin holes and insert front and rear trigger plate pins.

TO REPLACE BARREL AND FORE-END

Hold both barrel and fore-end together with barrel guide ring fitted into top of fore-end. Place combined barrel and fore-end over magazine tube and slide towards receiver. Guide barrel extension into receiver and barrel guide ring over magazine tube. Open action to seat barrel properly into receiver. Replace magazine cap over barrel guide ring onto magazine tube and screw down tightly.

PLACE BARREL AND FORE-END

f both barrel and fore-end together with barrel guide ring fitted into top of fore-end. e combined barrel and fore-end over magazine tube and slide towards receiver. Guide el extension into receiver and barrel guide ring over magazine tube. Open action to barrel properly into receiver. Replace magazine cap over barrel guide ring onto iazine tube and screw down tightly.

may also require additional care.

BELOW FREEZING WEATHER

Special attention should be taken that all oil is removed from action parts. If a lubricant is desired — use dry graphite or similar non-congealing lubricant. Take care also to prevent rusting from condensation (cold weather to warm room temperature) on action parts.

SECTIONAL VIEW


LOCKING BLOCK ASSEMBLY
LOCKING BLOCK
LOCKING BLOCK STUD
EJECTOR
EJECTOR RIVET
MAGAZINE FOLLOWER
MAGAZINE TUBE ASSEMBLY
RECEIVER
FOLLOWER LATCH BLOCK
BARREL ASSEMBLY
MAGAZINE SPRING PIN
RECEIVER ASSEMBLY
FOLLOWER LATCH PIN
FOLLOWER LATCH
EXTRACTOR
BARREL
BARREL EXTENSION
BARREL GUIDE PIN
BARREL GUIDE RING
FRONT SIGHT
MAGAZINE CAP DETENT
MAGAZINE CAP DETENT SPRING
MAGAZINE SPRING
FOLLOWER LATCH SPRING
ACTION BAR ASSEMBLY
OPERATING HANDLE
OPERATING HANDLE PLUNGER
OPERATING HANDLE SPRING
ACTION SPRING
ACTION SPRING STOP
FORE-END
FORE-END RING
FORE-END RING WASHER
PISTON
PISTON LINER
PISTON ASSEMBLY
PISTON RING
MAGAZINE CAP
SELECTOR
SHELL LATCH, RIGHT
SHELL LATCH, LEFT
CARRIER ASSEMBLY
CARRIER LATCH
CARRIER RELEASE
CARRIER RELEASE PIN
CARRIER LATCH PIN
CARRIER
CARRIER DOG
CARRIER DOG PIN
CARRIER DOG WASHER
HAMMER PIN
TRIGGER PLATE PIN
DETENT SPRING, FRONT
CARRIER PIVOT TUBE
TRIGGER PLATE PIN, FRONT
HAMMER PLUNGER
HAMMER SPRING
CARRIER DOG FOLLOWER
CARRIER DOG FOLLOWER SPRING
TRIGGER PIN
TRIGGER PLATE PIN
DETENT SPRING, REAR
TRIGGER PLATE PIN BUSHING
TRIGGER PLATE PIN, REAR
SAFETY
SAFETY PLUNGER
SAFETY SPRING
SAFETY SPRING RETAINING PIN
TRIGGER LEFT
TRIGGER RIGHT
TRIGGER PIN
TRIGGER ASSEMBLY
TRIGGER PLATE
TRIGGER PLATE SCREW
STOCK BOLT
STOCK BOLT WASHER
STOCK BOLT ASSEMBLY
RECEIVER STUD
HAMMER
STUD
SEAR PIN
SEAR SPRING
EXTRACTOR PLUNGER
EXTRACTOR SPRING
FIRING PIN RETRACTOR SPRING
BOLT RETURN PLUNGER
FIRING PIN
FIRING PIN RETAINING PIN
FIRING PIN
FIRING PIN RETAINING PIN
FIRING PIN SPRING

MORE POWER FOR HUNTERS

WITH REMINGTON AND PETERS STANDARD-LENGTH MAGNUM LOADS

Hunters who own 12, 16 or 20-gauge shotguns with standard 2¾" or longer chambers can now get denser, harder-hitting patterns with ***magnum*** power . . . in the sensational Remington "Express" and Peters "High Velocity" standard-length **magnum** loads. They're available in No. 2 and No. 4 shot in all three gauges. CAUTION: These magnum-powered shells should be used only in shotguns in good shooting condition and intended for maximum loads.

SIGHT ADJUSTMENT FOR "RIFLED SLUG SPECIAL"

WINDAGE — Rear sight eyepiece may be moved to left by turning windage screw clockwise. This will move slug impact to left. By turning screw counter clockwise rear sight eyepiece may be moved to right. This will move slug impact to right. *NOTE: Windage screw is located beneath eyepiece.*

ELEVATION OR RANGE

Rear sight may be raised or lowered by sliding notched sight step beneath eyepiece back and forth. Slug impact will lift, or range increase, by raising rear sight. Slug impact will lower, or range decrease, if rear sight is lowered.

"SPORTSMAN"—58, "EXPRESS," "HIGH VELOCITY," and "POWER-MATIC" are Reg. U.S. Pat. Off., by Remington Arms Company, Inc., Bridgeport 2, Conn.

Form RD-5287 Rev. 1161 Litho in U.S.A.

Firearms Value & Reference Books

NOTE: We do not provide information on firearms' values. You may want to have your firearm appraised by a gunsmith. The following sources may also be helpful. We do not accept responsibility for the goods or services provided by these sources.

Firearms Value Books

Blue Book of Gun Values
Blue Book Publications
8009 34th Avenue South #175
Minneapolis, MN 55425
800-877-GUNS

Flayderman's Guide to Firearm Values

Gun List
Modern Gun Values
Krause Publications
700 East State Street
Iola, WI 54990-0001
847-573-8530

Gun Trader's Guide
Stoeger Publishing Company
5 Mansard Court
Wayne, NJ 07470
973-872-9500

Reference Books

The Remington 700
John Flacy
Brownells, Inc.
200 South Front Street
Montezuma, IA 50171
515-623-5401

Cartridges of the World
Frank C. Barnes
Standard Catalog of Firearms
Krause Publications
700 East State Street
Iola, WI 54990-0001
847-573-8530

Shooter's Bible
Stoeger Publishing Company
5 Mansard Court
Wayne, NJ 07470
973-872-9500

Remington, America's Oldest Gunmanker
Remington Arms Co.
PO Box 700
Madison, NC 27025
Attention: History Book
800-423-8495